

AROMATHERAPY AND AEROPHYTOTHERAPY PROSPECTS OF DEVELOPMENT AND POSSIBILITIES OF APPLICATION FOR PROPHYLAXIS OF DISEASES AND REHABILITATION OF PATIENTS

Yu.V. Bobrik, I.Yu. imofeev , A.V. Kulichenko, A.S. Babynin, S.V. Kozulya

SUMMARY

The authors consider development prospects of aromatherapy and aerophytotherapy and possibility of their application for rehabilitation of patients and prophylaxis of diseases. The range of applications of oils in medicine is practically boundless. Certain essential oils are promising for prophylaxis of epidemic diseases with respiratory transmission, in-hospital infections, pathologies related to disadaptation, immunosuppression, influence of ionizing radiations; the oils applied by dispersion can be used in public and medical establishments for prophylaxis and therapy.

()

[10,11].

[3,10].

13. ().

().

[1,2,11,13,19].

1928 .

() -

(-)

5-6 ,

4-5

(0,5 / ³)

[1,2,11,19].

[11, 18].

[4,5,6].

[1,2,11,19],

().

30 75% [9].

[9,11,17,18,19].

in vitro.

in vitro

aemophilis influenzae, 1,5 / ³.

Staphilococcus aureus, Streptococcus pyogenes,

Pseudomanas aeruginosa, . li,

[4,5,6,9,11,17,18,19].

1. ... (...) // ... - 2013. 1. - 58-59. 6. ... 1. ... « ... » VI ... « ... » ; 23-24 2013 ... 2013. - 166-167. 7. ... 2. ... « ... » / ... 2000. - 64 8. ... 2011. - 240 9. ... 3. ... (...) / ... - 2006. - 4. - 22 - 23. 10. ... 2007. - 224 11. ... 1. ... 2007. - 592 12. ... 1981. - 204-210. 2. ... 13. Edwards-Jones V, Buck R, Shawcross SG, et al.: The effect of essential oils on methicillin-resistant *Staphylococcus aureus* using a dressing model. *Burns* 30 (8): 772-7, 2004. 14. Hines S, Steels E, Chang A, et al.: Aromatherapy for treatment of postoperative nausea and vomiting. *Cochrane Database Syst Rev* 4: CD007598, 2012. 15. Kim JT, Wajda M, Cuff G, et al.: Evaluation of aromatherapy in treating postoperative pain: pilot study. *Pain Pract* 6 (4): 273-7, 2006. [PUBMED Abstract] 16. Itai T, Amayasu H, Kuribayashi M, et al.: Psychological effects of aromatherapy on chronic hemodialysis patients. *Psychiatry Clin Neurosci* 54 (4): 393-7, 2000. [PUBMED Abstract] 17. Ro YJ, Ha HC, Kim CG, et al.: The effects of aromatherapy on pruritus in patients undergoing hemodialysis. *Dermatol Nurs* 14 (4): 231-4, 237-8, 256; quiz 239, 2002. [PUBMED Abstract]

18. Styles JL: The use of aromatherapy in hospitalized children with HIV disease. *Complement Ther Nurs Midwifery* 3 (1): 16-20, 1997. [PUBMED Abstract]

19. Warnke PH, Sherry E, Russo PA, et al.: Antibacterial essential oils in malodorous cancer

patients: clinical observations in 30 patients. *Phytomedicine* 13 (7): 463-7, 2006. [PUBMED Abstract]

20. Wiebe E: A randomized trial of aromatherapy to reduce anxiety before abortion. *Eff Clin Pract* 3 (4): 166-9, 2000 Jul-Aug. [PUBMED Abstract]