

**CHAOTIFYING 2-D PIECEWISE LINEAR MAPS
VIA A PIECEWISE LINEAR CONTROLLER FUNCTION**

**ХАОТИЗАЦІЯ ДВОВИМІРНИХ КУСКОВО-ЛІНІЙНИХ ВІДОБРАЖЕНЬ
ЗА ДОПОМОГОЮ КУСКОВО-ЛІНІЙНОЇ ФУНКЦІЇ КЕРУВАННЯ**

Z. Elhadj

*Univ. Tébessa
(12000), Algeria
e-mail: zeraoulia@mail.univ-tebessa.dz
zelhadj12@yahoo.fr.*

J. C. Sprott

*Univ. Wisconsin
Madison, WI 53706, USA
e-mail: sprott@physics.wisc.edu.*

A simple method for chaotifying piecewise linear maps of the plane using a piecewise linear controller function is given. A domain of chaos in the resulting controlled map was determined exactly and rigorously.

Наведено простий метод хаотизації кусково-лінійних відображень площини за допомогою кусково-лінійної функції керування. Множину хаосу для отриманого керованого відображення визначено точно і строго.

1. Introduction. A large number of physical and engineering systems have been found to be governed by a class of continuous or discontinuous maps [1, 4, 5, 7–10, 13, 14] where the discrete-time state space is divided into two or more compartments with different functional forms of the map separated by borderlines [14–17]. The theory of discontinuous maps is in its infancy, with some progress reported for 1-D and n-D discontinuous maps in [1, 8, 9, 11, 12, 17], but these results are restrictive and cannot be obtained in the general n -dimensional context [12]. On the other hand, there are many works that focus on the chaotic behavior of discrete mappings. For example, they have been studied as control and anti-control (chaotification) schemes using Lyapunov exponents [2, 3, 18, 20] to prove the existence of chaos in n -dimensional discrete dynamical systems with the goal of making in some way an originally non-chaotic dynamical system chaotic or enhancing the chaos already existing in such a system.

The goal of this work is to present a simple method for chaotifying an arbitrary 2-D piecewise linear map (continuous or not) using a simple piecewise linear controller function, which allows one to determine exactly and rigorously which portion of the bifurcation parameter space is characterized by the occurrence of chaos in the resulting controlled map using the standard definition of the Lyapunov exponents as the test for chaos.

Consider an arbitrary piecewise-linear map $f : D \rightarrow D$, where $D = D_1 \cup D_2 \subset \mathbb{R}^2$, defined by

$$X_{k+1} = f(X_k) = \begin{cases} AX_k + b & \text{if } X_k \in D_1, \\ BX_k + c & \text{if } X_k \in D_2, \end{cases} \quad (1)$$

where $A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix}$ and $B = \begin{pmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{pmatrix}$ are 2×2 real matrices, and $b = \begin{pmatrix} b_1 \\ b_2 \end{pmatrix}$ and $c = \begin{pmatrix} c_1 \\ c_2 \end{pmatrix}$ are 2×1 real vectors, and $X_k = \begin{pmatrix} x_k \\ y_k \end{pmatrix} \in \mathbb{R}^2$ is the state variable.

The Lyapunov exponents of a 2-D dynamical system are defined as follows.

Let us consider the system

$$X_{k+1} = f(X_k), \quad X_k \in \mathbb{R}^2, \quad k = 0, 1, 2, \dots, \quad (2)$$

where the function $f : \mathbb{R}^2 \rightarrow \mathbb{R}^2$ is the vector field associated with system (2). Let $J(X_k)$ be its Jacobian evaluated at $X_k \in \mathbb{R}^2$, $k = 0, 1, 2, \dots$, and define the matrix

$$T_n(X_0) = J(X_{n-1})J(X_{n-2}) \dots J(X_1)J(X_0). \quad (3)$$

Moreover, let $J_i(X_0, n)$ be the modulus of the i^{th} eigenvalue of the n^{th} matrix $T_n(X_0)$, where $i = 1, 2$ and $n = 0, 1, 2, \dots$.

Now, the Lyapunov exponents for a two-dimensional discrete-time system are defined by

$$l_i(X_0) = \lim_{n \rightarrow +\infty} \ln \left(J_i(X_0, n)^{\frac{1}{n}} \right), \quad i = 1, 2. \quad (4)$$

Roughly speaking, chaotic behavior implies sensitive dependence on initial conditions, with at least one positive Lyapunov exponent. Based on this definition, we give in the next section a rigorous proof of chaos in the resulting controlled map (7) obtained below via a simple piecewise linear controller function applied to the map (1). While many algorithms for calculating the Lyapunov exponents would give spurious results for piecewise-linear discontinuous maps, the algorithm used here and given in [21] works for such cases. It essentially takes a numerical derivative and gives the correct result provided that is taken to ensure that the perturbed and unperturbed orbits lie on the same side of the discontinuity. This may require an occasional small perturbation into a region that is not strictly accessible to the orbit.

2. The chaotification method using a piecewise linear controller function. The main idea of the chaotification method presented in this work is to introduce a piecewise linear controller function in such a way, such that the two (in both partitions) system matrices of the resulting controlled piecewise linear system have the same trace and determinant (invariants) and hence the same eigenvalues. Indeed, the controlled map is given by

$$g(X_k) = \begin{cases} AX_k + b & \text{if } X_k \in D_1 \\ BX_k + c & \text{if } X_k \in D_2 \end{cases} + U(X_k), \quad (5)$$

where the controller function $U(X_k)$ is defined by

$$U(X_k) = \begin{cases} \begin{pmatrix} (b_{11} + b_{22} - a_{11} - a_{22})x_k \\ \left(\frac{-a_{12}a_{21} + b_{11}a_{22} - b_{11}b_{22} + b_{12}b_{21} + a_{22}b_{22} - a_{22}^2}{a_{12}} \right)x_k \end{pmatrix} & \text{if } X_k \in D_1, \\ \begin{pmatrix} 0 \\ 0 \end{pmatrix} & \text{if } X_k \in D_2. \end{cases} \quad (6)$$

The controlled system (5) is now given by

$$g(X_k) = \begin{cases} QX_k + b & \text{if } X_k \in D_1, \\ BX_k + c & \text{if } X_k \in D_2, \end{cases} \quad (7)$$

where the matrix Q is given by

$$Q = \begin{pmatrix} b_{11} + b_{22} - a_{22} & a_{12} \\ \frac{b_{11}a_{22} - b_{11}b_{22} + b_{12}b_{21} + a_{22}b_{22} - a_{22}^2}{a_{12}} & a_{22} \end{pmatrix}. \quad (8)$$

The Jacobian matrix of the controlled map (7) is given by

$$J(X_k) = \begin{cases} Q & \text{if } X_k \in D_1, \\ B & \text{if } X_k \in D_2. \end{cases} \quad (9)$$

It is shown in [22] that if we consider a system $x_{k+1} = f(x_k)$, $x_k \in \Omega \subset \mathbb{R}^n$, such that

$$\|f'(x)\| = \sqrt{\lambda_{\max}(f'(x)^T f'(x))} \leq N < +\infty, \quad (10)$$

with a smallest eigenvalue of $f'(x)^T f'(x)$ that satisfies

$$\lambda_{\min}(f'(x)^T f'(x)) \geq \theta > 0, \quad (11)$$

where $N^2 \geq \theta$, then, for any $x_0 \in \Omega$, all the Lyapunov exponents at x_0 are located inside $\left[\frac{\ln \theta}{2}, \ln N\right]$, that is,

$$\frac{\ln \theta}{2} \leq l_i(x_0) \leq \ln N, \quad i = 1, 2, \dots, n, \quad (12)$$

where $l_i(x_0)$ are the Lyapunov exponents for the map f and $\|\cdot\|$ is the Euclidian norm in \mathbb{R}^n . We remark that $J(X_k)$ given in (9) is not well-defined due to the discontinuity, but, since B and Q have the same eigenvalues, one has that $\|Q\| = \|B\| = \sqrt{\lambda_{\max}(B^T B)}$. Because

$$B^T B = \begin{pmatrix} b_{11}^2 + b_{21}^2 & b_{11}b_{12} + b_{21}b_{22} \\ b_{11}b_{12} + b_{21}b_{22} & b_{12}^2 + b_{22}^2 \end{pmatrix}$$

is at least a positive semi-definite matrix, all its eigenvalues are real and positive, i.e.,

$$\lambda_{\max}(B^T B) \geq \lambda_{\min}(B^T B) \geq 0.$$

Hence the eigenvalues of $B^T B$ are given by

$$\begin{aligned}\lambda_{\max}(B^T B) &= \frac{1}{2} b_{11}^2 + \frac{1}{2} b_{12}^2 + \frac{1}{2} b_{21}^2 + \frac{1}{2} b_{22}^2 + \frac{1}{2} \sqrt{d}, \\ \lambda_{\min}(B^T B) &= \frac{1}{2} b_{11}^2 + \frac{1}{2} b_{12}^2 + \frac{1}{2} b_{21}^2 + \frac{1}{2} b_{22}^2 - \frac{1}{2} \sqrt{d},\end{aligned}\tag{13}$$

where

$$d = \left((b_{11} + b_{22})^2 + (b_{12} - b_{21})^2 \right) \left((b_{12} + b_{21})^2 + (b_{11} - b_{22})^2 \right) > 0\tag{14}$$

for all b_{11} , b_{12} , b_{21} , and b_{22} . Condition (10) gives $\|f'(x)\| = \|B\| = \|Q\| = \sqrt{\lambda_{\max}(B^T B)} = N < +\infty$, because B and Q have the same eigenvalues. Condition (11) gives the inequality

$$\theta^2 - (b_{11}^2 + b_{12}^2 + b_{21}^2 + b_{22}^2) \theta + (b_{11}b_{22} - b_{12}b_{21})^2 \geq 0\tag{15}$$

with the condition

$$\theta < \frac{b_{11}^2 + b_{12}^2 + b_{21}^2 + b_{22}^2}{2}.\tag{16}$$

Since the discriminant of (15) is equal to $d > 0$, (11) holds if

$$\theta \geq \lambda_{\max}(B^T B), \quad \text{or} \quad \theta \leq \lambda_{\min}(B^T B).\tag{17}$$

The condition $\theta \geq \lambda_{\max}(B^T B)$ is impossible because of condition (16), so that θ must satisfy the condition

$$\theta < \lambda_{\min}(B^T B) = \frac{b_{11}^2 + b_{12}^2 + b_{21}^2 + b_{22}^2 - \sqrt{d}}{2}.\tag{18}$$

Now, if

$$\begin{aligned}2 < b_{11}^2 + b_{12}^2 + b_{21}^2 + b_{22}^2 < (b_{11}b_{22} - b_{12}b_{21})^2 + 1, \\ |b_{11}b_{22} - b_{12}b_{21}| > 1,\end{aligned}\tag{19}$$

then $\lambda_{\min}(B^T B) > 1$, i.e., $\theta = 1$, and one has

$$0 < l_i(x_0) \leq \ln N, \quad i = 1, 2,\tag{20}$$

i.e., the controlled map (7) converges to a hyperchaotic attractor for all parameters b_{11} , b_{12} , b_{21} , and b_{22} satisfying (19).

Finally, the following theorem is proved.

Theorem 1. *The piecewise linear controller function (6) makes the map (1) chaotic in the following case:*

$$\begin{aligned} 2 < b_{11}^2 + b_{12}^2 + b_{21}^2 + b_{22}^2 < (b_{11}b_{22} - b_{12}b_{21})^2 + 1, \\ |b_{11}b_{22} - b_{12}b_{21}| > 1. \end{aligned} \quad (21)$$

Finally, we note that Theorem 1 does not guaranty the boundness of the resulting controlled map (7). This problem is still open for general piecewise-linear maps and flows.

3. Example. In this section, we make chaotic the following piecewise linear map using the above method:

$$f(x_k, y_k) = \begin{cases} \begin{pmatrix} x_k - \alpha y_k + 1, \\ \gamma x_k \end{pmatrix} & \text{if } y_k \geq 0, \\ \begin{pmatrix} x_k + \alpha y_k + 1 \\ -\beta x_k \end{pmatrix} & \text{if } y_k < 0, \end{cases} \quad (22)$$

where α , β , and γ are bifurcation parameters. The map (22) is a special case of the map (1) since one can rewrite it as

$$f(X_k) = \begin{cases} AX_k + b, & \text{if } y_k \geq 0, \\ BX_k + c, & \text{if } y_k < 0, \end{cases}$$

where

$$A = \begin{pmatrix} 1 & -\alpha \\ \gamma & 0 \end{pmatrix}, \quad B = \begin{pmatrix} 1 & \alpha \\ -\beta & 0 \end{pmatrix}, \quad \text{and } b = c = \begin{pmatrix} 1 \\ 0 \end{pmatrix},$$

and the two sub regions are $D_1 = \{(x_k, y_k) \in \mathbb{R}^2 / y_k \geq 0\}$ and $D_2 = \{(x_k, y_k) \in \mathbb{R}^2 / y_k < 0\}$. Thus, the resulting controlled map is given by

$$g(x_k, y_k) = \begin{cases} \begin{pmatrix} 1 & -\alpha \\ \beta & 0 \end{pmatrix} \begin{pmatrix} x_k \\ y_k \end{pmatrix} + \begin{pmatrix} 1 \\ 0 \end{pmatrix} & \text{if } y_k \geq 0 \\ \begin{pmatrix} 1 & \alpha \\ -\beta & 0 \end{pmatrix} \begin{pmatrix} x_k \\ y_k \end{pmatrix} + \begin{pmatrix} 1 \\ 0 \end{pmatrix} & \text{if } y_k < 0 \end{cases} = \begin{pmatrix} 1 - \alpha|y_k| + x_k \\ \beta x_k \operatorname{sgn}(y_k) \end{pmatrix}, \quad (23)$$

which is the so-called *discrete butterfly* presented in [19], where $\operatorname{sgn}(\cdot)$ is the standard signum function that gives ± 1 depending on the sign of its argument. For the controlled map (23), condition (21) becomes

$$|\alpha| > \max\left(\frac{|\beta|}{\sqrt{\beta^2 - 1}}, \frac{1}{|\beta|}\right), \quad |\beta| > 1. \quad (24)$$

For illustration, assume that $\beta < -1$. Then we remark that $\frac{|\beta|}{\sqrt{\beta^2 - 1}} = \frac{-\beta}{\sqrt{\beta^2 - 1}} < \frac{1}{|\beta|} = \frac{-1}{\beta}$, and thus conditions (24) become

$$|\alpha| > \frac{-1}{\beta}, \quad \beta < -1.$$

Using the obtained analytical results, Fig. 1 shows that for $-2 \leq \beta < -1$, and $-\frac{1}{\beta} < \alpha < \frac{-1}{\beta} + 0.4$, the controlled map (23) converges to bounded hyperchaotic attractors or unbounded orbits for $\alpha > -\frac{1}{\beta}$. In this figure, unbounded solutions, periodic solutions, and chaotic solutions are shown in the $\alpha\beta$ -plane for the controlled map (23), where we use 5000 different initial conditions and 10^6 iterations for each point. A chaotic attractor for the case with $\alpha = 0.6$ and $\beta = -2$ is shown in Fig 2.

On the other hand, it is necessary to verify the hyperchaoticity of the attractors by calculating both Lyapunov exponents using the formula: $l_1(x_0) + l_2(x_0) = \ln |\det(J)| = \ln |\alpha\beta|$ averaged along the orbit where $\det(J)$ is the determinant of the Jacobian matrix. The result is shown in Fig. 3 for $0.4 \leq \alpha \leq 0.9$, with $\beta = -2$.




Fig. 1. Regions of dynamical behaviors in the $\alpha\beta$ -plane for the controlled map (23) with $-2 \leq \beta < -1$ and $-\frac{1}{\beta} < \alpha < -\frac{1}{\beta} + 0.4$.




Fig. 2. The new piecewise linear chaotic attractor obtained from the controlled map (23) with its basin of attraction for $\alpha = 0.6$, $\beta = -2$, and the initial condition $x_0 = y_0 = 0.01$.




Fig. 3. Variation of the Lyapunov exponents of the controlled map (23) versus the parameter $0.4 \leq \alpha \leq 0.9$, with $\beta = -2$, where the two vertical lines indicate the border between the mentioned dynamical behaviors.

4. Conclusion. A new simple chaotification method for piecewise linear maps of the plane via a piecewise linear controller function was presented. A rigorous proof of chaos in the resulting controlled map using the standard definition of the largest Lyapunov exponent was also given.

1. *Sharkovsky A. N., Chua L. O.* Chaos in some 1-D discontinuous maps that appear in the analysis of electrical circuits // *IEEE Trans. Circuits and Syst.* — 1993. — **40**. — P. 722–731.
2. *Li C.* On super-chaotifying discrete dynamical systems // *Chaos, Solitons and Fractals.* — 2004. — **21**. — P. 855–861.
3. *Chen G., Lai D.* Making a discrete dynamical system chaotic: feedback control of Lyapunov exponents for discrete-time dynamical system // *IEEE Trans. Circuits and Syst.-I.* — 1997. — **44**. — P. 250–253.
4. *Yuan G. H., Banerjee S., Ott E., Yorke J. A.* Border collision bifurcations in the buck converter // *IEEE Trans. Circuits and Systems-I.* — 1998. — **45**. — P. 707–716.
5. *Maggio G. M., di Bernardo M., Kennedy M. P.* Nonsmooth bifurcations in a piecewise-linear model of the colpitts oscillator // *IEEE Trans. Circuits and Syst.-I.* — 2000. — **8**. — P. 1160–1177.
6. *Kollar L. E., Stepan G., Turi J.* Dynamics of piecewise linear discontinuous maps // *Int. J. Bifurcation and Chaos.* — 2004. — **14**. — P. 2341–2351.
7. *Chua L. O., Lin T.* Chaos in digital filters // *IEEE Trans. Circuits and Syst.* — 1988. — **35**. — P. 648–658.
8. *Ogorzalek M. J.* Complex behavior in digital filters // *Int. J. Bifurcation and Chaos.* — 1992. — **2**, № 1. — P. 11–29.
9. *Feely O., Chua L. O.* Nonlinear dynamics of a class of analog-to-digital converters // *Int. J. Bifurcation and Chaos.* — 1992. — **22**. — P. 325–340.
10. *Feely O., Chua L. O.* The effect of integrator leak in modulation // *IEEE Trans. Circuits and Syst.-I.* — 1991. — **38**. — P. 1293–1305.
11. *Jain P., Banerjee S.* Border collision bifurcations in one-dimensional discontinuous maps // *Int. J. Bifurcation and Chaos.* — 2003. — **13**. — P. 3341–3352.
12. *Dutta P. S., Routroy B., Banerjee S., Alam S. S.* Border collision bifurcations in n -dimensional piecewise linear discontinuous maps // *Chaos* (to appear).
13. *Rajaraman R., Dobson I., Jalali S.* Nonlinear dynamics and switching time bifurcations of a thyristor controlled reactor circuit // *IEEE Trans. Circuits and Syst.-I.* — 1996. — **43**. — P. 1001–1006.
14. *Banerjee S., Verghese G. C. (Ed.)* Nonlinear phenomena in power electronics: attractors, bifurcations, chaos, and nonlinear control. — New York: IEEE Press, 2001.
15. *Banerjee S., Ott E., Yorke J. A., Yuan G. H.* Anomalous bifurcations in dc-dc converters: borderline collisions in piecewise smooth maps // *IEEE Power Electron. Special. Conf.* — 1997. — P. 13–37.
16. *Banerjee S., Parui S., Gupta A.* Dynamical effects of missed switching in current-mode controlled dc-dc converters // *IEEE Trans. Circuits and Syst.-II.* — 2004. — **51**. — P. 649–654.
17. *Tse T. K.* Complex behavior of switching power converters. — Boca Raton: CRC Press, 2003.
18. *Wang X. F., Chen G.* On feedback anticontrol of discrete chaos // *Int. J. Bifurcation and Chaos.* — 1999. — **9**. — P. 1435–1441.
19. *Elhadj Z.* The discrete Butterfly // *Chaos, Solitons and Fractals* (to appear).
20. *Li Z., Park J. B., Joo Y. H., Choi Y. H., Chen G.* Anticontrol of chaos for discrete TS fuzzy systems // *IEEE Trans. Circuits and Syst.-I.* — 2002. — **49**. — P. 249–253.
21. *Sprott J. C.* Chaos and time-series analysis. — Oxford: Oxford Univ. Press, 2003.
22. *Li C., Chen G.* Estimating the Lyapunov exponents of discrete systems // *Chaos.* — 2000. — **14**, № 2. — P. 343–346.

*Received 09.12.08,
after revision — 15.04.09*